



**POLLUTION PREVENTION AND CONTROL ACT 1999
ENVIRONMENTAL PERMITTING REGULATIONS 2007**

Permit Number: 3.5/057489/JT

Installation Address:

Hague Plant Ltd
Prospect Farm
High Bradfield
Sheffield
S6 6LS

In accordance with Regulation 13 of the Environmental Permitting (England and Wales) Regulations 2007 as amended, Hague Plant Ltd is hereby permitted to operate a scheduled activity as mobile plant, carrying out the crushing and screening of Brick, Tiles, Concrete, Demolition Waste and any other designated mineral as described in Schedule 1, Part 2, Chapter 3, Section 3.5, Part B, subsection (a) and (c) and subject to the following conditions of this Permit.

Signed

A handwritten signature in black ink, appearing to be "A. M.", written over a light blue rectangular background.

Dated this day: 23rd July 2009

**Assistant Manager
Authorised by Sheffield City Council to sign on their behalf**

The Secretary of States Guidance PG 3/16 (04) for Mobile Crushing and Screening has provided the framework for the conditions in this permit

Name & Address of Operator:

Hague Plant Limited
Prospect Farm
High Bradfield
Sheffield
S6 6LS

Contact: William Hague (0114) 2851 551 hagueplantltd@btconnect.com

Registered Office:

Hague Plant Limited
Prospect Farm
High Bradfield
Sheffield
S6 6LS

Address of Permitted Installation:

Hague Plant Limited
Prospect Farm
High Bradfield
Sheffield
S6 6LS

Talking to Us

Any communication with Sheffield City Council should be made to the following address quoting the Permit Number:

**Environmental Protection Service
Sheffield City Council
2-10 Carbrook Hall Road
Carbrook
Sheffield
S9 2DB**

Alternatively Email: ippc@sheffield.gov.uk or ring 0114 273 4651

Contents

Section		page
	Explanatory Note	4
	Description of Activities	7
1	Emission Limits and Controls	8
2	Monitoring of Emissions	8
3	Materials Handling	9
4	General Operations	10
Schedule	Mobile Plant Movement Notification Form	12

Explanatory Note to Pollution Prevention and Control Permit for Part B Installations.
(This note does not form a part of the Permit)

The following Permit is issued under Regulation 13 of the Environmental Permitting (England and Wales) Regulations 2007 (S.I. 2008 No.3538), as amended, ("the EP Regulations") to operate an installation carrying out activities covered by the description in section 3.5, Chapter 3 of Schedule 1 of those Regulations, to the extent authorised by the Permit:

Process Changes

Under the provisions of Regulation 69 of the EP Regulations, you are required to notify the Council of any proposed change in operation at least 14 days before making the change. This must be in writing and must contain a full description of the proposed change in operation and the likely consequences. Failure to do so is an offence.

If you consider that a proposed change could result in the breach of the existing permit conditions or is likely to require the variation of permit conditions then you may apply in writing under Regulation 20(1) of the EP Regulations. Additionally, if this involves a SUBSTANTIAL CHANGE to the installation you will be required to submit an application, pay the relevant fee and advertise the application accordingly. You may serve a Notice on the Council requesting that they determine whether any change that is proposed would constitute a substantial change before you proceed with application.

Variations to the Permit

The Permit may be varied in the future (by the Council serving a Variation Notice on the Operator). If the Operator itself wants any of the Conditions of the Permit to be changed, a formal Application must be submitted.

Surrender of the Permit

Where the operator of a Part B installation or mobile plant ceases or intends to cease the operation of the activity the operator may notify the regulator of the surrender of the whole permit, in any other case, notify the regulator of the surrender of the permit in so far as it authorises the operation of the installation or mobile plant which he/she has ceased or intends to cease operating. The notification shall contain information as described in Regulation 24 or 25 of the EP Regulations.

Transfer of the Permit or Part of the Permit

Before the Permit can be wholly or partially transferred to another person, a joint application to transfer the Permit has to be made by both the existing and proposed holders, in accordance with Regulation 21 of the EP Regulations. A transfer will be allowed unless Sheffield City Council considers that the proposed holder will not be the person who will have control over the operation of the installation or will not ensure compliance with the conditions of the transferred Permit.

Annual Subsistence Fee

In accordance with Regulation 65 of the EP Regulations, the holder of a permit is required to pay a fee for the subsistence of the Permit. This fee is payable annually on 1st April. You are advised that under the provisions of Regulation 65 (5) of the EP Regulations, if you fail to pay the fee due promptly, Sheffield City Council may revoke the Permit. You will be contacted separately each year in respect to this payment.

Public Register

The Council is required by Regulation 46 of the EP Regulations to maintain a Public Register containing information on all LAPPC installations and mobile plant. The register is available for inspection by the public free of charge during office hours (Monday to Friday 9.00 am to 5.00 pm) at the following address:

Environmental Protection Service
Sheffield City Council
2-10 Carbrook Hall Road
Carbrook
Sheffield
S9 2DB

Tel: 0114 273 4651

Confidentiality

Sheffield City Council has a duty to consider the question of confidentiality of information supplied to it. If any information supplied is considered confidential, a statement of which information this applies to and the reasons why it is considered confidential should be specified. The Operator is reminded that he may apply to Sheffield City Council for the exclusion of information from the public register under the provisions of the Environmental Permitting (England and Wales) Regulations 2007 as amended.

Appeals

Under Regulation 31 of the EP Regulations operators have the right of appeal against the conditions attached to their permit. Schedule 6 of the EP Regulations sets out the detailed procedures.

Appeals against a Variation Notice do not have the effect of suspending the operation of the Notice. Appeals do not have the effect of suspending Permit conditions.

Notice of appeal against the conditions attached to the permit must be given within six months of the date of the Notice, which is the subject matter of the appeal.

How to Appeal

There are no forms or charges for appealing. However, for an appeal to be valid, appellants (the person/operator making the appeal) are legally required to provide:

- Written notice of the appeal;
- A statement of the grounds of appeal;
- A statement indicating whether the appellant wishes the appeal to be dealt with by written representations procedure or a hearing - a hearing must be held if either the appellant or enforcing authority requests this, or if the Planning Inspector or the Secretary of State decides to hold one.
- (Appellants must copy the above three items to the local authority when the appeal is made)
- A copy of any relevant application;
- A copy of any relevant permit;
- A copy of any relevant correspondence between the appellant and the regulator; and
- A copy of any decision or notice, which is the subject matter of the appeal.

Where to Send Your Appeal Documents

Appeals should be addressed to:

**The Planning Inspectorate
Environmental Appeals Administration
Room 4/19 - Eagle Wing
Temple Quay House
2 The Square
Temple Quay
Bristol BS1 6PN**

In the course of an Appeal process the main parties will be informed of procedural steps by the Planning Inspectorate.

To withdraw an appeal the appellant must notify the Planning Inspectorate in writing and copy the notification to the local authority.

Description Of Activities

This Permit refers to the use of an Extec C12 Tracked Mobile Crusher (Serial Number 10842, manufactured 2007), and any associated screens and conveyors, for the crushing and screening of bricks, tiles, concrete, demolition waste and any other designated mineral.

This Permit covers the stockpiling and movement within the boundary of the site where the crusher is located.

The crusher is Permitted to be mobile and used at any site where it may be moved following prior notification in writing to Sheffield City Council's Environmental Protection Service, in accordance with condition 4.1 of this Permit.

Conditions of Permit.

1 Emission Limits and Controls

- 1.1 Emissions from the diesel exhaust serving the Extec C12 crusher and any associated screen shall in normal operation be free from visible smoke and in any case shall not exceed the equivalent of Ringelmann Shade 1 as described in British Standard 2742:1969.
- 1.2 The Extec C12 crusher shall be fitted with dust suppression equipment using water sprinklers after the jaws and at the end of the conveyors in order to minimise dust emissions from the crusher. The water sprinklers shall be operated continuously for the duration of the crushing and transfer process.
- 1.3 Any screen associated with the use of the Extec C12 crusher shall be fitted with dust suppression equipment using water over the feed area and at transfer points between conveyors in order to minimise dust emissions. Dust suppression shall be operated continuously for the duration of the screening operation.
- 1.4 If no continuous water supply is available on the site where the crusher is located, the permit holder shall ensure that a water tank is provided with the crushing and screening plant. The water tank shall be of sufficient capacity, and be replenished at regular intervals, in order to provide a continuous water supply to the spray bars, as required by conditions 1.2 and 1.3 of this Permit.
- 1.5 The discharge from the Extec C12 crusher shall be enclosed with a bagging cloak or tarpaulin cover to prevent wind whipping of crushed material.
- 1.6 The last metre of any final discharge conveyor or stock pile discharge conveyor and the first 0.5 metre of the free fall of materials from the conveyor shall be fitted with a full hood, and with dust suppression using water unless the material has already been screened to remove material under 3mm size.
- 1.7 The conveyors serving any screen associated with the Extec C12 crusher shall be enclosed with tarpaulin, windboards or other suitable material in order to minimise wind whipping unless the material has been screened to remove material under 3mm size.

2 Monitoring of Emissions

- 2.1 Visual assessments of the emission of dust from the Extec C12 crusher and its associated screens shall be made at least three times a day when the machinery is in operation. Observations shall be carried out at start up and on at least two more occasions each day, and last for a period of at least 2 minutes. Details of the assessments and any remedial action taken shall be recorded in the log-book or recording system kept in accordance with Condition 2.2.

-
- 2.2 The permit holder shall ensure that a log-book, or other recording system, containing all visual assessments and records of all inspections and observations made in accordance with conditions of this permit is kept. These records shall include the time and date of inspection, the result of the observations and the name of the person making the inspection. The log-book shall be kept available for inspection by authorised officers of Sheffield City Council's Environmental Protection Service at the site where the Extec crusher is operating. Such records shall be kept for a minimum of two years and shall be furnished in writing to Sheffield City Council's Environmental Protection Service on demand.
- 2.3 In the case of emissions to atmosphere from the site that travel beyond the site boundary, immediate remedial action shall be taken and if necessary the process shall be halted until such time that the activity can be undertaken without giving rise to emissions that travel beyond the site boundary.
- 2.4 In the case of any emissions to atmosphere travelling beyond the site boundary the permit holder shall ensure that such events are recorded in the log book or recording system kept in accordance with Condition 2.2, with details of the remedial action taken.
- 2.5 In the case of emissions travelling beyond the site boundary, the permit holder shall inform Sheffield City Council's, Environmental Protection Service at the earliest opportunity and in any event not later than 10.00 hours on the next working day.

3 Materials Handling

- 3.1 All incoming material shall be visually inspected before acceptance on site. It shall also be inspected during tipping. In the event of unwanted material arriving on site, the operator shall not accept it and it shall not be processed.
- 3.2 No material shall be stored in the open except for:
- (a) Material that has been screened to remove material 3mm and under;
 - (b) Sand;
 - (c) Scalpings;
 - (d) material used for road sub bases (commonly known as MOT materials) that has been conditioned before deposition;
 - (e) Crusher run material or blended material that has been conditioned with water or any proprietary conditioning agent before deposition.
- 3.3 The following shall be carried out in such a manner as to prevent wind-borne dust travelling beyond the site boundary;
- (a) The loading to and from stockpiles, and
 - (b) The construction and management of stockpiles.

-
- 3.4 The drop height of crushed material shall be minimised as far as is practicable from the conveyors of the screen or crusher. If particulate matter is being wind blown then one or both of the following steps shall be implemented;
- (1) Reduce the conveyor height; and/or
 - (2) Condition the crushed material with water or other proprietary conditioning agent to prevent particulate matter becoming wind blown.
- 3.5 Stockpiles of aggregates and crushed or screened material shall be profiled and situated in sheltered areas of the site in order to prevent dust becoming wind whipped.
- 3.6 Stockpiles of crushed or screened material shall be treated with water or proprietary conditioning agents to prevent dust emissions travelling beyond the site boundary. In dry or windy conditions the stockpiles shall be treated as frequently as necessary in order to prevent dust emissions travelling beyond the site boundary.
- 3.7 All vehicles carrying crushed or screened material shall be sheeted or otherwise totally enclosed as soon as possible after loading and before leaving the site.
- 3.8 When road vehicles are loaded with crushed or screened material and conditions dictate, airborne dust from the operation shall be minimised by the use of dust suppression using water dampening both the stockpile and the material loaded in the vehicle.
- 3.9 All roadways shall be maintained in a dampened condition by water bowser, hose pipe or other means in order to prevent vehicle movements creating airborne dust clouds.
- 3.10 Deposits of dust on external parts of the crusher and associated screens shall be cleaned off at the end of each working day.
- 3.11 The wheels of all vehicles leaving the site shall be washed prior to leaving the site boundary and accessing the highway in order to prevent mud or dirt being deposited on the highway.

4 General Operations

- 4.1 The permit holder shall inform Sheffield City Council's Environmental Protection Service of the movements of the Extec C12 crusher. 7 days advance notification in writing is required to be submitted to the Environmental Protection Service using the form in the Schedule of this Permit. A copy of the form shall also be forwarded to the Local Authority where the crusher is to be located if the location is not within the Sheffield City boundary.

-
- 4.2 The written notification required by condition 4.1 submitted by the permit holder shall include the date the crusher is to be moved, the address and post code of the location where the crusher will be operated, the length of time the crusher is expected to be in that location, and whether there is a constant water supply at that location or if a water tank is necessary to be taken to the location.
 - 4.3 The permit holder shall ensure that effective preventive maintenance shall be employed on all plant and equipment concerned with the control of emissions to air, such as water spray bars, water tank, hose pipe etc. Essential spares and consumables shall be held or be available at short notice from guaranteed suppliers in order to rectify breakdowns rapidly.
 - 4.4 A written maintenance programme shall be provided to Sheffield City Council Environmental Protection Service regarding pollution control equipment. This programme is required to be submitted by 30th September 2009.
 - 4.5 The permit holder shall implement a training programme to ensure that personnel at all levels receive formal training and instruction in their duties relating to this permit, the operation and control of the process and control of emissions to air, including emissions resulting from start up and shut down, arrestment plant failure or breakdown. The permit holder shall keep a written record of such training and instruction. These records shall be kept for a minimum of two years and shall be furnished in writing to Sheffield City Council's Environmental Protection Service on demand.
 - 4.6 The permit holder shall inform Sheffield City Council, Environmental Protection Service of any relevant changes to the process such as installation of new plant and equipment, replacement of existing equipment, change in working methods, changes to the materials being processed or emissions to atmosphere, prior to those changes occurring.
 - 4.7 The best available techniques shall be used to prevent or, where that is not practicable, reduce emissions from the installation in relation to any aspect of the operation of the installation which is not regulated by any other condition of this permit.

Schedule – Mobile Crusher Movement Notification Form

This information shall be provided to Sheffield City Council Environmental Protection Service **and** the Local Authority in whose area the Permitted plant is to be located.

The information shall be sent at least **7 days prior to any relocation**. Where this is not possible, the Comments section shall be completed to explain the reasons.

To:	Sheffield City Council Environmental Protection Service Fax: (0114) 273 6464	Details of Local Authority where crusher is to be located.
------------	--	--

Hague Plant Ltd Extec C12 Mobile Crusher (Serial Number 10842, Permit Number 3.5/057489/JT) will be located at the following site: <p style="text-align: center; color: grey;">Address of site where Crusher will be located. Please attach a plan if necessary.</p> Site Contact Telephone: Water supply to the site is by (please tick): Mains <input type="checkbox"/> Bowser <input type="checkbox"/> Other	
The Crusher will be operated at the above location between the following dates: <p style="text-align: center; color: grey;">Approximate Date of Start Approximate Date of Finish</p>	
Person(s) who will operate Plant: <p style="text-align: center; color: grey;">Attach a Certificate of Competence for each operator specified above.</p>	
Comments: <p style="text-align: center; color: grey;">e.g. Reasons for failure to notify regulator at least 7 days prior to operation</p>	
Signed:	Date:

